

Lanospharma Laboratories Co.,Ltd

sales@lanospharma.com www.lanospharma.com TEL/FAX1:+86 081 8539 9020 Fax2:+86 023 6746 0027
NO.581 Nanping Est Rd, Nan 'an District, 400060 Chongqing,China

Certificate of Analysis

Name	Demecarium Bromide	Batch No.	10-1010-36DM
Manufacture date	2011-01-12	Expiry date	2013-01-11
Batch Quantity	0.15kg	Standard	USP27

Items	Reference specification	Test result
Appearance	A white or almost white crystalline powder	Complies
Identification	The infrared absorption spectrum of the sample corresponds to that of the standard sample	Complies
Melting point	165 to 168°C	Complies
Water	≤2.0%	1.0%
Heavy metals	≤0.002%	0.001%
Residue on ignition	≤0.1%	0.05%
Limit of m-trimethylammoniophenol bromide	Not more intense than control preparation	Complies
Assay	98.5%	99.1%

Conclusion: the test result complies with the USP27.

Analyst: HE PING

Checker: JIA QIN

Approved: LI BO

Lanospharma Laboratories Co.,Ltd

sales@lanospharma.com www.lanospharma.com TEL/FAX1:+86 081 8539 9020 Fax2:+86 023 6746 0027

**Specialized in Active Pharmaceutical ingredients and intermediates*